

PRODUCT-DETAILS

# 216RU6

216RU6 Z suvka vestavn p m , 3p., 16 A,  
IP44, 6 h



## Obecn informace

Typ	216RU6
Id v robku	2CMA193170R1000
EAN	7392696931700
Katalogov popis	216RU6 Z suvka vestavn p m , 3p., 16 A, IP44, 6 h
Detailn popis	Panel mounted socket, earthing sleeve position 6h, rated current 16A, IP44 splashproof, unified flange, straight, 2-poles+earth, frequency 50-60 Hz, color code Blue

## Technick daje

Normy	IEC 60309-1, -2
Funkce	Panel mounted socket
Vhodn... pro	Socket Outlets for Panel Mounting
Vhodn... pro v robek t dy	IEC Industrial Plugs and Sockets
Jmenovit... nap t (U <sub>r</sub> )	200 250 V
Jmenovit proud (I <sub>n</sub> )	16 A
Frekvence (f)	50 Hz 60 Hz
Jmenovit frekvence (f)	50...60 Hz
Mont n otvory	60-61x60-61

Počet pól	3
Plug Angle	Straight
Utahovac moment	WireClamp0.8 Nm
Typ p ípojen	Screw
Typ upevn ěn	Unified straight flange
Typ ochrany	Splashproof
Clock Position Of Grounding Contact	6 hour
Materi íl zapouzd ěn	Thermoplastic
Materi íl pouzdra	Plastic (PA)
Materi íl	Plastic
P ředavn ě informace	2P+E
Doporu ěn ěroubov ěk	PH2
RAL Number	RAL 7001 - Silver Grey
Barva	Blue
Pr ěez kabelu/vodi ěe	1.5 ... 4 mm <sup>2</sup>

### daje n ě ho ro ěd

Teplota okol	-25 ... 40 °C
Kryt	IP44
Stav RoHS	Following EU Directive 2011/65/EU
Environment In informace	2CMC000056M0000

### Technick ě daje U

Utahovac moment UL/CSA	7.1 inlb
---------------------------	----------

### Ro m ěr

ist ěka v robku	75 mm
ist ěv ěka v robku	79 mm
ist ěhloubka v robku	85 mm
ist ěhmotnost v robku	0.2 kg
Velikost	79X75X85

### a ěn

ro ve balen 1, jednotky	box 10 piece
ro ve balen 1, ěka	138 mm
ro ve balen 1, v ěka	345 mm
ro ve balen 1, d ělka	158 mm
ro ve balen 1, hrub hmotnost	2 kg
ro ve balen 1, EAN	7392696661706

rove balen 2, jednotky	pallet (lift) 660 piece
rove balen 2, ka	800 mm
rove balen 2, v ka	900 mm
rove balen 2, d..lka	1200 mm
rove balen 2, hrub hmotnost	1340 kg
rove balen 2, EAN	7392696079389

## Objednac daje

Minim ln objednac mno stv	10 piece
slo celn ho sazebn ku	85366990
E-Number (Finland)	2420001
E-Number (Norway)	1564502
E-Number (Sweden)	E2416620
Zem p vodu	Czech Republic (CZ)

## erifik a roh en a dokumen

Prohl en	2CMC700005D0001
Prohl en o shod - CE	2CMC700005D0001
Environment ln informace	2CMC000056M0000
Pokyny a p ru ky	2CMC700014C0016
REACH Declaration	2CMC700005D0001
Informace RoHS	2CMC700005D0001
Certifik t SEMKO	1613211

## okumen ke a en

List s daji, technick... informace	2CMC700006C0201
Pokyny a p ru ky	2CMC700014C0016
Mechanick... v kresy	9AKK107991A3852

## a ifikace

ETIM 7	EC001317 - Panel-mounted CEE socket outlet
ETIM 8	EC001317 - Panel-mounted CEE socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85366990
UNSPSC	39121406
Tr da eClass	27440504
IDEA Granular Category Code (IGCC)	4536 >> Electrical receptacles

---

**ae orie**

---

P stroje a rozv d e n zk...ho nap t → Pr myslov... vidlice a z suvky → Easy & Safe → Socket Outlets for Panel Mounting

