

PRODUCT-DETAILS

316RU6

316RU6 Z suvka vestavn p m , 4p., 16 A,
IP44, 6 h

Obeční informace

Typ	316RU6
Id v robku	2CMA193178R1000
EAN	7392696931786
Katalogový popis	316RU6 Z suvka vestavn p m , 4p., 16 A, IP44, 6 h
Detailní popis	Panel mounted socket, earthing sleeve position 6h, rated current 16A, IP44 splashproof, unified flange, straight, 3-poles+earth, frequency 50-60 Hz, color code Red

Technické údaje

Normy	IEC 60309-1, -2
Funkce	Panel mounted socket
Vhodn... pro	Socket Outlets for Panel Mounting
Vhodn... pro v robek t dy	IEC Industrial Plugs and Sockets
Jmenovit... nap t (U_r)	380 415 V
Jmenovit proud (I_n)	16 A
Frekvence (f)	50 Hz 60 Hz
Jmenovit frekvence (f)	50...60 Hz
Mont n otvory	60-61x60-61

Počet pól	4
Plug Angle	Straight
Utahovac moment	WireClamp0.8 Nm
Typ p ípojen	Screw
Typ upevn ěn	Unified straight flange
Typ ochrany	Splashproof
Clock Position Of Grounding Contact	6 hour
Materi íl zapouzd ěn	Thermoplastic
Materi íl pouzdra	Plastic (PA)
Materi íl	Plastic
P ředavn ě informace	3P+E
Doporu ěn ěroubov ěk	PH2
RAL Number	RAL 7001 - Silver Grey
Barva	Red
Pr ěez kabelu/vodi ěe	1.5 ... 4 mm ²

Teplota okol	-25 ... 40 °C
Kryt	IP44
Stav RoHS	Following EU Directive 2011/65/EU
Environment In informace	2CMC000056M0000

Utahovac moment UL/CSA	7.1 inlb
---------------------------	----------

ist ěka v robku	75 mm
ist ěv ěka v robku	87 mm
ist ěhloubka v robku	88 mm
ist ěhmotnost v robku	0.21 kg
Velikost	87X75X88

rovn ěbalen 1, jednotky	box 10 piece
rovn ěbalen 1, ěka	138 mm
rovn ěbalen 1, v ěka	345 mm
rovn ěbalen 1, d ělka	158 mm
rovn ěbalen 1, hrub ěhmotnost	2.1 kg
rovn ěbalen 1, EAN	7392696661782

rove balen 2, jednotky	pallet (lift) 660 piece
rove balen 2, ka	800 mm
rove balen 2, v ka	900 mm
rove balen 2, d...lka	1200 mm
rove balen 2, hrub hmotnost	1406 kg
rove balen 2, EAN	7392696079440

Minim In objednac mno stv	10 piece
slo celn ho sazebn ku	85366990
E-Number (Finland)	2421238
E-Number (Norway)	2416626
E-Number (Sweden)	E2416626
Zem p vodu	Czech Republic (CZ)

Prohl en	2CMC700005D0001
Prohl en o shod - CE	2CMC700005D0001
Environment In informace	2CMC000056M0000
Pokyny a p ru ky	2CMC700014C0016
REACH Declaration	2CMC700005D0001
Informace RoHS	2CMC700005D0001
Certifik t SEMKO	1613211

List s daji, technick... informace	2CMC700006C0201
Pokyny a p ru ky	2CMC700014C0016
Mechanick... v kresy	9AKK107991A3859

ETIM 7	EC001317 - Panel-mounted CEE socket outlet
ETIM 8	EC001317 - Panel-mounted CEE socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85366990
UNSPSC	39121406
Tr da eClass	27440504
IDEA Granular Category Code (IGCC)	4536 >> Electrical receptacles

. D W H J R U L H

