

PRODUCT-DETAILS

## 232RAU6

232RAU6 Z suvka vestavn íkm , 3p., 32 A,  
IP44, 6 h

### Obecně informace

Typ	232RAU6
Id v robku	2CMA193266R1000
EAN	7392696932660
Katalogov popis	232RAU6 Z suvka vestavn íkm , 3p., 32 A, IP44, 6 h
Detailn popis	Panel mounted socket, earthing sleeve position 6h, rated current 32A, IP44 splashproof, unified flange, angled, 2-poles+earth, frequency 50-60 Hz, color code Blue

### Technickě Bdaje

Normy	IEC 60309-1, -2
Funkce	Panel mounted socket
Vhodn... pro	Socket Outlets for Panel Mounting
Vhodn... pro v robek t dy	IEC Industrial Plugs and Sockets
Jmenovit... nap t ( $U_p$ )	200 250 V
Jmenovit proud ( $I_n$ )	32 A
Frekvence (f)	50 Hz 60 Hz
Jmenovit frekvence (f)	50...60 Hz
Mont n otvory	85x85

Počet pól	3
Plug Angle	Angled
Utahovac moment	WireClamp1.2 Nm
Typ p ípojen	Screw
Typ upevn ěn	Unified angled flange
Typ ochrany	Splashproof
Clock Position Of Grounding Contact	6 hour
Materi íl zapouzd ěn	Thermoplastic
Materi íl pouzdra	Plastic (PA)
Materi íl	Plastic
P ředavn ě informace	2P+E
Doporu ěn ěroubov ěk	PH2
RAL Number	RAL 7001 - Silver Grey
Barva	Blue
Pr ěez kabelu/vodi ěe	2.5 ... 10 mm <sup>2</sup>

Teplota okol	-25 ... 40 °C
Kryt	IP44
Stav RoHS	Following EU Directive 2011/65/EU
Environment íl informace	2CMC000056M0000

Utahovac moment UL/CSA	10.6 inlb
---------------------------	-----------

íst ěka v robku	110 mm
íst ěv ěka v robku	114 mm
íst ěhloubka v robku	114 mm
íst ěhmotnost v robku	0.24 kg
Velikost	104X110X114

rovn ě balen 1, jednotky	box 10 piece
rovn ě balen 1, ěka	188 mm
rovn ě balen 1, ěv ěka	428 mm
rovn ě balen 1, d ělka	175 mm
rovn ě balen 1, hrub ěhmotnost	2.4 kg
rovn ě balen 1, EAN	7392696662666

rove balen 2, jednotky	pallet (lift) 240 piece
rove balen 2, ka	800 mm
rove balen 2, v ka	900 mm
rove balen 2, d...lka	1200 mm
rove balen 2, hrub hmotnost	596 kg
rove balen 2, EAN	7392696080101

Minim In objednac mno stv	10 piece
slo celn ho sazebn ku	85366990
E-Number (Finland)	2421272
E-Number (Norway)	1547432
E-Number (Sweden)	E2416663
Zem p vodu	Czech Republic (CZ)

Prohl en	2CMC700005D0001
Prohl en o shod - CE	2CMC700005D0001
Environment In informace	2CMC000056M0000
Pokyny a p ru ky	No document needed
REACH Declaration	2CMC700005D0001
Informace RoHS	2CMC700005D0001
Certifik t SEMKO	1613211

List s daji, technick... informace	2CMC700006C0201
N vod k instalaci	2CMC00058M0001
Pokyny a p ru ky	No document needed
Mechanick... v kresy	9AKK107991A3705

ETIM 7	EC001317 - Panel-mounted CEE socket outlet
ETIM 8	EC001317 - Panel-mounted CEE socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85366990
UNSPSC	39121406
Tr da eClass	27440504
IDEA Granular Category	4536 >> Electrical receptacles



---

. D W H J R U L H

---

