



# Bilia



Bilia





Bilia

# info

Series of light fixtures for interior equipped with LEDs, structure of metal or zinc alloy, finished in sand white, sand black, brass or chrome, opal glass diffusers.

Suspension kits for surface or recessed mounting, individual intermediate and terminal opal glass diffusers.

Modular assembling of light strings with variable lengths is possible, provided that power of the driver is considered - maximum 30W.

Serie de corpuri de iluminat pentru interior echipate cu LED-uri, cu structura din metal sau zamac, disponibile in finisaje alb mat, negru mat, alamă sau crom, cu dispersoare din sticlă opal.

Kituri de suspensie pentru montaj aplicat sau incastrat, dispersoare individuale intermediare sau de capăt din sticlă opal.

Se pot realiza diferite combinații prin asamblarea modulară în șiruri cu lungimi variabile respectând puterea driverului - maximum 30W.

Serie di apparecchi per interni equipaggiati con LED, stuttura in metallo zama finitura bianco opaco, nero opaco, ottone o cromo, diffusori in vetro opalino.

Kit di sospensione per montaggio di superficie o ad incasso, diffusori individuali terminali e intermedi in vetro opale.

Sono possibili molteplici combinazioni di montaggio, rispettando la potenza del driver che può supportare combinazioni fino ad un massimo di 30W.

Серия светильников для интерьера, оснащенных светодиодами SMD, структура из металла или сплава, содержащего цинк, алюминий, магний и медь, с матовой белой, матовой черной, латунной или хромированной отделкой, опаловые стеклянные рассеиватели.

Комплект для крепления при монтаже подвесных приборов встык или встроенных структур, индивидуальные промежуточные или конечные опаловые стеклянные рассеиватели.

Возможна модульная сборка полос с переменной длиной при условии, что учитывается мощность драйвера - максимум 30Вт.

Beltéri lámpa testek, LED-el szerelve, zamac szerkezet, matt fehér, matt fekete, réz vagy króm színben, opál üveg diszperzór.

Fém szerkezetű függesztő szett matt fehér, matt fekete, réz vagy króm színben.

A moduláris szereléshez egyedi üveg diszperzór áll rendelkezésre, így különböző méretű hossz állítható össze, betartva a max.30W teljesítményt.

Серия осветительных тел для интерьера, располагаемых с LED светодиодами, с метална или замакова структура, предлагаемых в матово бяло, матово черно, месинг или хром, с дифузери от опалово стъкло.

Комплекти за окачване за видим монтаж, приложен или вдлъбнат монтаж, индивидуални междинни или крайни дифузери от опалово стъкло.

Могат да бъдат извършени различни комбинации чрез модулно сглобяване в редове с променлива дължина, като се спазва мощността на драйвера - максимално 30W.


Séria interiérových svietidiel vybavených LED diódami, konštrukcia z kovu alebo zliatiny zinku, s pieskovo-bielymi, pieskovo-čiernymi, mosadznými alebo chrómovými difúzormi z opálového skla.

Závesné súpravy pre povrchovú alebo zapustenú montáž, jednotlivé medzilahlé a koncové difúzéry z opálového skla.


Modulárna montáž svetelných reťazcov s premenlivou dĺžkou je možná za predpokladu, že sa zohľadní výkon vodiča - maximálne 30W.

## HOW TO CREATE A SUSPENSION

1 · Decide type of suspension kit, surface or recessed.



2 · Choose your finish and the design of pendant (you can add the diffusers until maxim 30W).




Sand White


Brass

Chrome

Sand Black




### Some composition samples (no more than 30W)



# SUSPENSION COMPONENTS

## SURFACE SUSPENSION KIT (Support max. 30W)

- art **SKBS01SWH** Sand White
- art **SKBS01BS** Brass
- art **SKBS01CH** Chrome
- art **SKBS01SBK** Sand Black




Power MAX 30W  
 Input 220-240V, 50/60Hz  
 Dimmable 1-10V

**CE IP44**

## RECESSED SUSPENSION KIT (Support max. 30W)

- art **SKBR01SWH** Sand White
- art **SKBR01BS** Brass
- art **SKBR01CH** Chrome
- art **SKBR01SBK** Sand Black



Power MAX 30W  
 Input 220-240V, 50/60Hz  
 Dimmable 1-10V

**CE IP44**

## INTERMEDIATE DIFFUSER 3W

- art **LSD01-2604SWH** Sand White
- art **LSD01-2604BS** Brass
- art **LSD01-2604CH** Chrome
- art **LSD01-2604SBK** Sand Black




Led type SMD LED 2835 36 pcs x 0,08W  
 Power 3W  
 Input 6V  
 Color temperature 3000 K  
 Lumen source 350 lm  
 Lumen system 260 lm  
 CRI 90  
 Dimmable 1-10V

**CE IP44**

## INTERMEDIATE DIFFUSER 7,5W

- art **LSD01-2249SWH** Sand White
- art **LSD01-2449BS** Brass
- art **LSD01-2449CH** Chrome
- art **LSD01-2449SBK** Sand Black



Led type SMD LED 2835 90 pcs x 0,08W  
 Power 7,5W  
 Input 15V  
 Color temperature 3000K  
 Lumen source 1000 lm  
 Lumen system 750 lm  
 CRI 90  
 Dimmable 1-10V

**CE IP44**

## WALL/CEILING LAMP

- art **01-2600** Sand White
- art **01-2601** Brass
- art **01-2602** Chrome
- art **01-2603** Sand Black



Led type SMD LED 2835 15 pcs x 0,33W  
 Power 5W  
 Input 220-240V, 50/60Hz  
 Color temperature 3000K  
 Lumen source 450 lm  
 Lumen system 330 lm  
 CRI 90  
 Not dimmable

**CE IP44**

## TERMINAL/SINGLE DIFFUSER 3W

- art **LSS01-2604WH** Opal




Led type SMD LED 2835 36 pcs x 0,08W  
 Power 3W  
 Input 6V  
 Color temperature 3000 K  
 Lumen source 350 lm  
 Lumen system 260 lm  
 CRI 90  
 Dimmable 1-10V

**CE IP44**

## TERMINAL/SINGLE DIFFUSER 7,5W

- art **LSS01-2449WH** Opal



Led type SMD LED 2835 90 pcs x 0,08W  
 Power 7,5W  
 Input 15V  
 Color temperature 3000K  
 Lumen source 1000 lm  
 Lumen system 750 lm  
 CRI 90  
 Dimmable 1-10V

**CE IP44**