

01-2179



Ferro

Orientable miniprojectors for indoor equipped with one SMD LED, aluminum structure electrostatically painted in sand white or sand black.

Miniproiectoare orientabile pentru interior echipate cu un LED SMD, structură din aluminiu vopsită în câmp electrostatic alb mat sau negru mat.

Miniproiettori orientabili per interni equipaggiati con LED SMD, struttura in alluminio verniciata a polveri bianco opaco o nero opaco.

Мини-проекторы для интерьера, оснащенные светодиодом SMD, алюминиевая конструкция, электростатически окрашенная в белый матовый или черный матовый цвет.


Beltéri mozgatható minifényvetők, SMD LED-el szerelve, elektrosztatikus mezőben matt fehérre vagy matt feketére festett alumínium szerkezet.

Насочващи интериорни минипроектори с SMD LED, структура от алуминий в бял или чере мат.

Nastaviteľné miniprojektory pre interiéry vybavené jednou SMD LED, hliníková konštrukcia je elektrostaticky lakovaná v matnej bielej alebo matnej čiernej farbe.



art. **01-2178** Sand White
 art. **01-2179** Sand Black





| | |
|-------------------|------------------------------------|
| Led type | SMD LED 5050 BRIDGELUX 1 pc x 4,5W |
| Power | 4,5W |
| Input | 220V-240V, 50/60Hz |
| Color temperature | 3000K |
| Lumen source | 450 lm |
| Lumen system | 315 lm |
| Optic | 38° |
| CRI | 90 |
| Not dimmable | |

CE IP20



art. **01-3458** Sand Black
 art. **01-3459** Sand White



| | |
|-------------------|------------------------------------|
| Led type | SMD LED 5050 BRIDGELUX 1 pc x 4,2W |
| Power | 4,2W |
| Input | 220V-240V, 50/60Hz |
| Color temperature | 3000K |
| Lumen source | 450 lm |
| Lumen system | 315 lm |
| Optic | 38° |
| CRI | 90 |
| Not dimmable | |

CE IP20