


KATRO V2LED

Svítidlo typu "downlight"



KATRO V2LED	Wattage	Color	Material	Length [mm]	Beam angle [°]	Lifespan [h]
KATRO V2LED 12W-NW-SN	27214	12	nikl saténový	780	110	4000
KATRO V2LED 18W-NW-SN	27215	18	nikl saténový	1250	110	4000
KATRO V2LED 24W-NW-SN	27216	24	nikl saténový	1700	110	4000
KATRO V2LED 6W-NW-SN	27217	6	nikl saténový	300	110	4000
KATRO V2LED 12W-NW-SR	28939	12	stříbrná	660	110	4000
KATRO V2LED 12W-NW-W	28940	12	bílá	780	110	4000
KATRO V2LED 12W-WW-W	28941	12	bílá	720	110	3000
KATRO V2LED 18W-NW-SR	28942	18	stříbrná	1080	110	4000
KATRO V2LED 18W-NW-W	28943	18	bílá	1260	110	4000
KATRO V2LED 18W-WW-W	28944	18	bílá	1200	110	3000
KATRO V2LED 24W-NW-W	28945	24	bílá	1680	110	4000
KATRO V2LED 6W-NW-W	28946	6	bílá	330	110	4000
KATRO V2LED 6W-WW-W	28947	6	bílá	300	110	3000



- Materiál krytu: hliníková slitina
- Materiál talíře izolátoru: plast

KATRO V2LED

Svítlidlo typu "downlight"



KATRO V2LED 12W-NW-SN



KATRO V2LED 18W-NW-SN



KATRO V2LED 24W-NW-SN



KATRO V2LED 6W-NW-SN



KATRO V2LED 12W-NW-SR



KATRO V2LED 12W-NW-W



KATRO V2LED 18W-NW-SR



KATRO V2LED 18W-NW-W

KATRO V2LED

Svítidlo typu "downlight"



KATRO V2LED 18W-WW-W




KATRO V2LED 24W-NW-W




KATRO V2LED 6W-NW-W




KATRO V2LED 6W-WW-W




KATRO V2LED 12W



KATRO V2LED 18W



KATRO V2LED 24W



KATRO V2LED 6W