




## BENO LED

Stropní LED svítidlo



[V] 220-240 AC	[Hz] 50	[W] 18	[lm] 1550	[°] 110	[h] ≥20000	[h] 20000
Tc [K] 4000	ellipse <60° MacAdam	Ra ≥80	SMD	IP 54		
	[°C] -15÷35			[mm] 0,5÷1,5	0,5m	
lm/W 86						



BENO 18W NW-O-W

		[W]	[lm]	Tc [K]		SENSOR
BENO 18W NW-O-W	<b>32940</b>	18	1550	4000	bílá	
BENO 18W NW-O-GR	<b>32941</b>	18	1550	4000	grafit	
BENO 18W NW-L-W	<b>32942</b>	18	1550	4000	bílá	
BENO 18W NW-L-GR	<b>32943</b>	18	1550	4000	grafit	
BENO 18W NW-O-SE W	<b>32944</b>	18	1550	4000	bílá	mikrovlnný
BENO 18W NW-O-SE GR	<b>32945</b>	18	1550	4000	grafit	mikrovlnný
BENO 18W NW-L-SE W	<b>32946</b>	18	1550	4000	bílá	mikrovlnný
BENO 18W NW-L-SE GR	<b>32947</b>	18	1550	4000	grafit	mikrovlnný

- Materiál korpusu: plast
- Materiál difuzoru: plast

## BENO LED

Stropní LED svítidlo



BENO 18W NW-O-W



BENO 18W NW-O-GR



BENO 18W NW-L-W



BENO 18W NW-L-GR



BENO 18W NW-O-SE W





BENO 18W NW-O-SE GR



BENO 18W NW-L-SE W



BENO 18W NW-L-SE GR



## BENO LED

---

Stropní LED svítidlo

BENO 18W NW-O

BENO 18W NW-L