



ALIN 4LED 1230mm

Lineární svítidlo pro LED trubice T8



[V] 220-240 AC	[Hz] 50	[W] max 36	T8 LED	G13		IP 20
	 5+25			 1,5+2,5	 L N ONE SIDE INPUT	
 0,5m		CE	EAC			



ALIN 4LED 1X120-W

ALIN 4LED 1X120-W	27413	matná matowy matt mat opaco	bílá biały white weiß blanc bianco	T8 LED	1240
ALIN 4LED 1X120-SR	27415	matná matowy matt mat opaco	stříbrná srebrny silver silber argent argento	T8 LED	1240
ALIN 4LED 1X120-B	27414	matná matowy matt mat opaco	černá czarny black schwarz noir nero	T8 LED	1240
AL 4LED 120-MPR-W	28449	mikroprizmatický mikropryzmatyczny microprismatic mikroprismatisch microprismatique microprismatico	bílá biały white weiß blanc bianco	T8 LED	1240
AL 4LED 120-MPR-SR	28451	mikroprizmatický mikropryzmatyczny microprismatic mikroprismatisch microprismatique microprismatico	stříbrná srebrny silver silber argent argento	T8 LED	1240
AL 4LED 120-MPR-B	28450	mikroprizmatický mikropryzmatyczny microprismatic mikroprismatisch microprismatique microprismatico	černá czarny black schwarz noir nero	T8 LED	1240



- Materiál korpusu: hliníková slitina
- Materiál difuzoru: plast

ALIN 4LED 1230mm

Lineární svítidlo pro LED trubice T8



ALIN 4LED 1X120-W



ALIN 4LED 1X120-SR



ALIN 4LED 1X120-B







AL 4LED 120-MPR-W



AL 4LED 120-MPR-SR



AL 4LED 120-MPR-B



ALIN 4LED 1230mm



Lineární svítidlo pro LED trubice T8

ALIN 4LED 1X120-W

ALIN 4LED 1X120-SR

ALIN 4LED 1X120-B

AL 4LED 120-MPR-W



AL 4LED 120-MPR-SR

AL 4LED 120-MPR-B