

motor operator 24-60V DC accessory for: 3VA1 160







Model	
Product brand name	SETRON
Product designation	Accessories
Product version	Motorized operating mechanism (MO)
Voltage	
Type de tension pour la commande	AC/DC
Rated operational power	250 V·A
Mechanical Design	
Rated control supply voltage U_s with DC	24 V
Height	70 mm
Width	76.2 mm
Depth	103 mm
Net weight	578 g
Connectable conductor cross-section / solid	
• minimum	1.5 mm ²
• maximum	2.5 mm ²
Connectable conductor cross-section / finely stranded / with core end processing	

<ul style="list-style-type: none"> • minimum • maximum 	1.5 mm ² 2.5 mm ²
Connectable conductor cross-section / stranded	
<ul style="list-style-type: none"> • minimum • maximum 	1.5 mm ² 2.5 mm ²
Ambient temperature / during operation	
<ul style="list-style-type: none"> • minimum • maximum 	-25 °C 70 °C
Ambient temperature / during storage	
	-40 ... +80
Tightening torque	
<ul style="list-style-type: none"> • minimum • maximum 	0.36 N·m 0.44 N·m

Connections according IEC

Wire stripping length	7 mm
-----------------------	------

Certificates



General Product Approval	EMC	Declaration of Conformity	Test Certificates
 VDE	 EAC	 EG-Konf.	 RCM
Miscellaneous			Type Test Certificates/Test Report


Shipping Approval	other
-------------------	-------

 LRS	Manufacturer Declaration	Miscellaneous
--------------------------------------------------------------------------------------------	------------------------------------------	-------------------------------

Further information

- Information- and Downloadcenter (Catalogs, Brochures,...)**
<http://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)**
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9157-0HA10>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**
<https://support.industry.siemens.com/cs/ww/en/ps/3VA9157-0HA10>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9157-0HA10
- CAX-Online-Generator**
<http://www.siemens.com/cax>
- Tender specifications**
<http://www.siemens.com/specifications>





last modified:

08/08/2020