

motor operator 24-60V DC accessory for: 3VA1 250







Model	
Product brand name	SETRON
Product designation	Accessories
Product version	Motorized operating mechanism (MO)
Voltage	
Type de tension pour la commande	AC/DC
Rated operational power	250 V·A
Mechanical Design	
Rated control supply voltage $U_s$ with DC	24 V
Height	75 mm
Width	104.6 mm
Depth	132 mm
Net weight	860 g
Connectable conductor cross-section / solid	
• minimum	1.5 mm <sup>2</sup>
• maximum	2.5 mm <sup>2</sup>
Connectable conductor cross-section / finely stranded / with core end processing	

<ul style="list-style-type: none"> <li>• minimum</li> <li>• maximum</li> </ul>	<p>1.5 mm<sup>2</sup></p> <p>2.5 mm<sup>2</sup></p>
Connectable conductor cross-section / stranded	
<ul style="list-style-type: none"> <li>• minimum</li> <li>• maximum</li> </ul>	<p>1.5 mm<sup>2</sup></p> <p>2.5 mm<sup>2</sup></p>
Ambient temperature / during operation	
<ul style="list-style-type: none"> <li>• minimum</li> <li>• maximum</li> </ul>	<p>-25 °C</p> <p>70 °C</p>
Ambient temperature / during storage	
	-40 ... +80
Tightening torque	
<ul style="list-style-type: none"> <li>• minimum</li> <li>• maximum</li> </ul>	<p>0.36 N·m</p> <p>0.44 N·m</p>

### Connections according IEC

Wire stripping length	7 mm
-----------------------	------

### Certificates

General Product Approval	EMC	Declaration of Conformity	Test Certificates	Shipping Approval
<a href="#">Miscellaneous</a> 	 RCM	 EG-Konf.	<a href="#">Type Test Certificates/Test Report</a>	 LRS

### other

[Manufacturer Declaration](#)     [Miscellaneous](#)

### Further information

#### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

#### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9257-0HA10>

#### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9257-0HA10>

#### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3VA9257-0HA10](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9257-0HA10)


#### CAX-Online-Generator

<http://www.siemens.com/cax>

#### Tender specifications

<http://www.siemens.com/specifications>





**last modified:**

08/08/2020