

motor operator 24-60V DC accessory for: 3VA1 400/630 3VA2 400/630







Model	
Product brand name	SETRON
Product designation	Accessories
Product version	Motorized operating mechanism (MO)
Voltage	
Type de tension pour la commande	AC/DC
Rated operational power	250 V·A
Mechanical Design	
Rated control supply voltage $U_s$ with DC	24 V
Height	92 mm
Width	137.6 mm
Depth	149 mm
Net weight	1 310 g
Connectable conductor cross-section / solid	
• minimum	1.5 mm <sup>2</sup>
• maximum	2.5 mm <sup>2</sup>
Connectable conductor cross-section / finely stranded / with core end processing	

<ul style="list-style-type: none"> <li>• minimum</li> <li>• maximum</li> </ul>	1.5 mm <sup>2</sup> 2.5 mm <sup>2</sup>
Connectable conductor cross-section / stranded	
<ul style="list-style-type: none"> <li>• minimum</li> <li>• maximum</li> </ul>	1.5 mm <sup>2</sup> 2.5 mm <sup>2</sup>
Ambient temperature / during operation	
<ul style="list-style-type: none"> <li>• minimum</li> <li>• maximum</li> </ul>	-25 °C 70 °C
Ambient temperature / during storage	
	-40 ... +80
Tightening torque	
<ul style="list-style-type: none"> <li>• minimum</li> <li>• maximum</li> </ul>	0.36 N·m 0.44 N·m

### Connections according IEC

Wire stripping length	7 mm
-----------------------	------



### Certificates


General Product Approval	EMC	Declaration of Conformity	Shipping Approval	other
<a href="#">Miscellaneous</a> 	 RCM	 EG-Konf.	 LRS	<a href="#">Manufacturer Declaration</a>

<a href="#">other</a> <a href="#">Miscellaneous</a>
--

### Further information

- Information- and Downloadcenter (Catalogs, Brochures,...)**  
<http://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)**  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mfb=3VA9467-0HA10>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**  
<https://support.industry.siemens.com/cs/ww/en/ps/3VA9467-0HA10>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**  
[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mfb=3VA9467-0HA10](http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=3VA9467-0HA10)
- CAX-Online-Generator**  
<http://www.siemens.com/cax>
- Tender specifications**  
<http://www.siemens.com/specifications>





**last modified:**

08/08/2020