

CERTIFICATE OF COMPLIANCE

Certificate Number 20180516-E254144
Report Reference E254144-20050323
Issue Date 2018-MAI-16

Issued to: GUNTHER SPELSBERG GMBH & CO KG
Im Gewerbepark 1
58579 SCHALKSMUHLE GERMANY

This is to certify that representative samples of BOXES, JUNCTION AND PULL
See Addendum Page For Models/Product

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL50 & CSA C22.2 No. 94.1-07 - Standard for Enclosures for Electrical Equipment, Non-Environmental Considerations
UL50E & CSA C22.2 No. 94.2-07 - Standard for Enclosures for Electrical Equipment, Environmental Considerations
UL746C - Standard for Polymeric materials
CSA C22.2 No. 0.17-00 - Standard for Evaluating of Properties of Polymeric Materials

Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20180516-E254144
Report Reference E254144-20050323
Issue Date 2018-MAI-16

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Product Covered:

USL, CNL - Type TK series Boxes Junction and Pull, includes:

Cat. No.: TK PC followed by 1811, 1818, 2518 or 3625 followed by 6f, 8f, 9, 11, 13f, 16 or 21 and followed by o, m, c, tm or to.

Cat. No.: TK PC followed by 1813, followed by 9, 11, 13f or 16 and followed by o, m, c, tm or to.

Alternate designations for bottom part:

TK PC followed by 1811, 1818, 2518 or 3625 followed by 6f, 8f, 9, 11, 13f, 16 or 21

TK PC followed by 1813, followed by 9, 11, 13f or 16

Alternate designation for transparent cover: TK PC followed by 1811, 1818, 2518 or 3625 followed by 6f, 8f, 9, 11, 13f, 16 or 21 followed by tc

TK PC followed by 1813, followed by 9, 11, 13f or 16 followed by tc

Alternate designation for intransparent cover: TK PC followed by 1811, 1818, 2518 or 3625 followed by 6f, 8f, 9, 11, 13f, 16 or 21 followed by c

TK PC followed by 1813, followed by 9, 11, 13f or 16 followed by c

Enclosure Type TK PC provided with light gray, black and transparent covers carries the following ratings, Type 4X and 12K or 12.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

