



Technical data

Fuse Links NV/NH

Electrical characteristics	
Rated voltage U_n	400 V AC, 500 V AC, 690 V AC
Rated current I_n	2 - 1600 A
Breaking capacity U_n	120 kA, 100 kA, 50 kA
Melting characteristic	gG, aM, gF, gTr
Certified	DIN VDE0636-201 (1998-06)
In accordance with	IEC 60269-1:2005 / EN 60269-1:1998+A1:2005 IEC 60269-2:1986+Corr.1:1996+A11995+A2:2001 / EN 60269-2:1995+A1:1998+A2:2002 IEC 60269-2-1:2004 / HD 60269-2-1:2005
Dimensions according to	DIN43620 Part: 1 - 4
Two versions of covers	aluminium and plastic



Fuse Links NV/NH gG Dimensions

Type	Dimensions												
	A	B	C	D	E	F	G	H	I	J	K		
NV00C	79	53	47	35	15	21	52	7,5				6	kombi
NV00C I	79	53	47	35	15	21	52	7,5				6	kombi
NV00	79	53	47	35	15	28	56	12				6	kombi
NV00 I	79	53	47	35	15	28	56	12				6	kombi
NV0	125	68	65	35	15	28	56	12				6	kombi
NV1C	135	68	65	40	15	28	61	12				6	kombi
NV1C I	135	68	65	40	15	28	61	12				6	kombi
NV1	135	72	65	40	20	46	65	14				6	kombi
NV1 I	135	72	65	40	20	46	65	14				6	kombi
NV2C	150	72	65	48	20	46	73	14				6	kombi
NV2C I	150	72	65	48	20	46	73	14				6	kombi
NV2	150	72	65	48	26	54	73	14				6	kombi
NV2 I	150	72	65	48	26	54	73	14				6	kombi
NV3C	150	72	65	60	26	54	84	14				6	kombi
NV3	150	72	65	60	33	65	84	14				6	kombi
NV4	200	75	66	87	50	100	121	24	150	16		8	
NV4a	200	99	87	85	50	95	121	27				6	
NV4a SI*	200	99	87	85	50	95	121	27				6	



Fuse Links NV/NH gG with Striker Pin Dimensions


Type	Dimensions			
	K	L	M	S1
00C	0	20.7	16.7	7.5
00	0	20.7	16.7	7.5
1	13.7	19.7	25	12
2	16.2	27.4	25	12
3	17	35.6	25	12
4a	24	49	25	12



Fuse-link NV/NH gG characteristics


NH000 400V

Time current characteristics
I/t, gG



NH000 500V


Time current characteristics
I/t, gG



Technical data


NH000 690V

Time current characteristics
I/t, gG




NH00 400V

Time current characteristics
I/t, gG



NH00 500V


Time current characteristics
I/t, gG



Technical data


NH00 690V

Time current characteristics
I/t, gG




NH0, NH1C 400V

Time current characteristics
I/t, gG




NH0, NH1C
500V

Time current characteristics
I/t, gG




Cut-off current characteristics



Technical data


NH0, NH1C
690V

Time current
characteristics
I/t, gG




NH1 400V

Time current characteristics
I/t, gG




Cut-off current characteristics




Technical data

NH1 500V

Time current characteristics
I/t, gG




Cut-off current characteristics




NH1 690V

Time current characteristics
I/t, gG




Cut-off current characteristics




Technical data

NH2C 400V

Time current characteristics
I/t, gG




Cut-off current characteristics




NH2C 500V

Time current characteristics
I/t, gG



Cut-off current characteristics




NV/NH


Technical data

NH2C 690V


Time current characteristics
I/t, gG




Cut-off current characteristics



NH2 400V
Time current characteristics
I/t, gG




Cut-off current characteristics




Technical data

NH2 500V

Time current characteristics
I/t, gG




Cut-off current characteristics




NH2 690V

Time current characteristics
I/t, gG




Cut-off current characteristics




Technical data

NH3C 400V

Time current characteristics
I/t, gG




Cut-off current characteristics




NH3C 500V

Time current characteristics
I/t, gG





Cut-off current characteristics



Technical data



NH3C 690V

Time current characteristics
I/t, gG




NH3 400V

Time current characteristics
I/t, gG





Technical data

Cut-off current characteristics



NH3 500V


Time current characteristics
I/t, gG



NV/NH


Technical data

Cut-off current characteristics




NH3 690V

Time current characteristics
I/t, gG




NH4

Time current characteristics
I/t, gG



NH4a


Time current characteristics I/t, gG
(nonstandard rated currents)



Technical data

NH1 1000V

Time current characteristics
I/t, gG



**NH4
NH4a
NH1 1000V**

Cut-off current characteristics

