

synchronizable motor operator 24V DC incl. COM accessory for:
3VA2 100/160/250







Model	
Product brand name	SETRON
Product designation	Accessories
Product version	Motorized operating mechanism with stored energy mechanism (SEO)
Voltage	
Type de tension pour la commande	DC
Rated operational power	300 V·A
Mechanical Design	
Rated control supply voltage U_s with DC	24 V
Height	118.7 mm
Width	104.6 mm
Depth	162.8 mm
Connectable conductor cross-section / solid	
• minimum	1.5 mm ²
• maximum	1.5 mm ²
Connectable conductor cross-section / finely stranded / with core end processing	

<ul style="list-style-type: none"> • minimum • maximum 	<p>1.5 mm²</p> <p>1.5 mm²</p>
Connectable conductor cross-section / stranded	
<ul style="list-style-type: none"> • minimum • maximum 	<p>1.5 mm²</p> <p>1.5 mm²</p>
Ambient temperature / during operation	
<ul style="list-style-type: none"> • minimum • maximum 	<p>-25 °C</p> <p>70 °C</p>
Ambient temperature / during storage	
	-40 ... +80
Tightening torque	
<ul style="list-style-type: none"> • minimum • maximum 	<p>0.18 N·m</p> <p>0.22 N·m</p>

Connections according IEC

Wire stripping length	6 mm
-----------------------	------



Certificates

General Product Approval	EMC	Declaration of Conformity	Shipping Approval	other
Miscellaneous 	 RCM	 EG-Konf.	 LRS	Manufacturer Declaration

other Miscellaneous

Further information

- Information- and Downloadcenter (Catalogs, Brochures,...)**
<http://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)**
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9267-0HC15>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**
<https://support.industry.siemens.com/cs/ww/en/ps/3VA9267-0HC15>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9267-0HC15
- CAX-Online-Generator**
<http://www.siemens.com/cax>
- Tender specifications**
<http://www.siemens.com/specifications>



last modified:

08/08/2020